

# Xerox<sup>®</sup> Phaser<sup>®</sup> 3260 Printer and Xerox<sup>®</sup> WorkCentre<sup>®</sup> 3225 Multifunction Printer

Results driven performance.



# Xerox<sup>®</sup> Phaser<sup>®</sup> 3260 Printer and Xerox<sup>®</sup> WorkCentre<sup>®</sup> 3225 Multifunction Printer

**Your objectives:** increase productivity, be more efficient, streamline processes and control costs.

Achieve your objectives. The Phaser 3260 printer and WorkCentre 3225 multifunction printer are compact, yet extremely powerful. Both are designed to support either a single user or a small team. The Phaser 3260 features fast, automatic two-sided printing with crisp, clear text and graphics. The WorkCentre 3225 adds reliable, cost-effective copy, scan and fax capabilities for all-in-one convenience.

# Affordable reliability.

- Budget friendly. Keep your costs down with fast, reliable printing for a single user or small team.
- Count on it. Keep intervention to a minimum with long lasting, easy to replace cartridges and reliable operation that handles every job with ease.
- Print efficiently. Split supplies mean you replace only what you use – so you get the most out of every print cartridge.
- Total peace of mind. Outstanding Xerox Service and Support, with a standard oneyear warranty.
- **Consolidate.** The WorkCentre 3225 allows you to reduce operating costs and service calls by combining multiple business-critical functions in one device.

# Designed for results.

- Quick print. A print speed of up to 29 ppm and a rapid first page-out time as fast as 8.5 seconds, enable you to spend less time at the device and more time focusing on your business.
- Save more than money. Standard, automatic two-sided printing saves valuable time and paper, while Power Save and Toner Save modes, and the Earth Smart print driver, let you choose to spend less on electricity and consumables.
- Powerful and productive. The standard 256 MB of memory and the 600 MHz processor ensure jobs print quickly and accurately, even when loaded with graphics.
- Visual impact. Printing at 4800 x 600 dpi enhanced image quality, together with PCL and PostScript emulations, ensures consistently clear text and sharp graphics.

# Make the complex simple.

- Wi-Fi Direct. Now mobile phones, tablets and laptop computers can make a secure connection directly to the printer or multifunction printer even if you don't have an existing wireless network.
- It's not complicated. The Xerox® Easy Wireless Setup helps you connect quickly and easily to your Wi-Fi network.
- Easy to reach. These devices, featuring quiet operation, built-in wireless networking and compact designs, fit exactly where you need them to be most productive.
- Multiple media options. Easily print on a variety of custom sizes and a wide range of media, including transparencies, card stock, envelopes and postcards.



One device. Five impressive capabilities. Streamline business even further with five key office functions consolidated in one easy-to-use product. The Xerox° WorkCentre° 3225 multifunction printer builds on the significant functionality of the Xerox° Phaser° 3260 with the addition of copying, scanning, email and faxing.

# WorkCentre 3225 highlights:

- The compact, quiet and lightweight WorkCentre 3225 fits perfectly in tight, busy spaces.
- The user-friendly front panel helps you find your most-used functions fast with easy-to-read buttons and two-line LCD display.
- The 4800 x 600 dpi enhanced image quality produces sharp, detailed images and text.
- Save time copying and scanning multiple page documents with the 40-sheet Automatic Document Feeder.
- Colour and black and white scanning quickly converts paper into electronic documents, ready to be saved to a network, desktop folder or inserted into an application.
- Scan to Email enables sending paper documents directly to email recipients from the front panel – no need to walk back and forth from the multifunction printer to your computer.
- Comprehensive copy features include reduce/ enlarge, auto background suppression, 3-level darkness control, collation, ID card copy and N-up layouts.
- A wide array of features ensures that private data remains secure, including SNMPv3 and IPv6 network security protocols, and Secure Fax Receive, which holds a fax until an authorised user logs-in to retrieve it.



WorkCentre 3225. Copy. Print. Scan. Fax. Email.

# Phaser 3260 Quick Facts

- Built-in Wi-Fi connectivity
- Print up to 29 ppm letter / 28 ppm A4
- 600 x 600 dpi; 4800 x 600 dpi enhanced
- Powerful 600 MHz processor
- Speedy first-page-out time as fast as 8.5 seconds

#### **WxDxH**

14.5 x 13.2 x 8.4 in. / 368 x 335 x 214 mm

# Weight:

16.8 lbs., 7.6 kg



### WorkCentre 3225 Quick Facts

- Print and copy up to 29 ppm letter / 28 ppm A4
- Built-in Wi-Fi connectivity
- Print up to 600 x 600 dpi; 4800 x 600 enhanced
- Powerful 600 MHz processor
- $\bullet$  Speedy, first-page-out time as fast as 8.5 seconds
- Scan up to 1200 x 1200 dpi (4800 x 4800 dpi enhanced) in black and white and colour

#### WxDxF

15.8 x 14.3 x 14.4 in. / 401 x 362 x 365 mm

#### Weight:

25.1 lbs., 11.4 kg

# Xerox® Phaser® 3260 / Xerox® WorkCentre® 3225

Device Specifications	Phaser 3260DI	Phaser 3260DNI	WorkCentre 3225DNI
Speed	Up to 29 ppm Letter / 28 ppm A4		
Duty Cycle <sup>1</sup>	Up to 30,000 pages / month		
Processor / Memory	600 MHz / 256 MB		
Connectivity	Wi-Fi b/g/n, High-Speed USB 2.0 10/100Base-T Ethernet, Wi-Fi b/g/n, High-Spe		eed USB 2.0
Print and Copy Resolution	600 x 600 dpi (Up to 4800 x 600 enhanced image quality)		Print: 600 x 600 dpi (Up to 4800 x 600 enhanced image quality); Copy: Up to 1200 x 1200 dpi enhanced image quality
First-page-out Time	As fast as 8.5 seconds		Print: As fast as 8.5 seconds; Copy: As fast as 10 seconds
Page Description Languages	PCL® 5e and 6 emulations, PostScript® 3™ emulation		
Print Features	Toner Save Mode, Booklet Printing, Poster Printing, Skip Blank Pages, N-up Printing, Scaling, Reduce/Enlarge, Fit to Page, Watermarks, Overlays, Custom-size Pages, Print Order, Edge Enhancement, Brightness Adjustment, Contrast Adjustment, Paper Selection by Attribute, Earth Smart Driver Settings, Bidirectional Print Drivers, Job Monitoring, Store and Recall Driver Settings		
Mobile Printing	Apple® AirPrint™, Google Cloud Print™, optional Xerox® Wireless Print Solutions Adapter (includes Apple AirPrint, Google Cloud Print™ v2.0 and Mopria®. For more information, visit <b>www.xerox.com/WPSA</b> )		
Scan Features	N/A		Scan via TWAIN/WIA, Scan to PC, Scan to WSD, Scan to Email, Up to 1200 x 1200 dpi (4800 x 4800 dpi enhanced) resolution, Colour, Black and white, 8-bit Greyscale, PDF/JPEG/TIFF
Fax Walk-Up Fax Features <sup>2</sup>	N/A		MH/MR/MMR/JBIG/JPEG Compression, Auto Answer, Auto Redial, Auto Reduction Broadcast Sending, Colour Fax Send, Junk Fax Filter, Distinctive Ring, Fax Address Book, Fax Forward to Fax, Secure Fax Receive, Receive Fax Forward to PC
LAN Fax Features			Broadcast Sending, Fax Address Book
<b>Security</b> Standard	Secure HTTPS (SSL), IPsec, 802.1X Authentication, WPA2 Personal, IPv4 and IPv6 Filtering, MAC Address Filtering, SNMPv3, USB Port Disablement		
	N/A		Network Authentication (Kerberos/SMB/LDAP), Secure LDAP, SMTP over SSL/TLS, Scan to Email Authentication, WPA2 Enterprise
Paper Input Standard	Main Tray: Up to 250 sheets; Custom sizes: 4.14 x 5.85 in. to 8.5 x 14 in. / 105 x 149 mm to 216 x 356 mm  Manual Feed Slot: 1 sheet; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm		Automatic Document Feeder (ADF): 40 sheets; Custom sizes: 5.8 x 5.8 in. to 8.5 x 14 in. / 148 x 148 mm to 216 x 356 mm  Main Tray: Up to 250 sheets; Custom sizes: 4.14 x 5.85 in. to 8.5 x 14 in. / 105 x 149 mm to 216 x 356 mm  Manual Feed Slot: 1 sheet; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm
Paper Output	150 sheets		120 sheets
Automatic Two-sided Printing	Standard		
Warranty	One-year on-site warranty (geography dependent)		
<del>-</del>			

<sup>&</sup>lt;sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis: <sup>2</sup> Requires analogue phone line

#### Device Management

Xerox® CentreWare® Internet Services, Xerox® CentreWare® Web, Email alerts, Apple® Bonjour, Xerox® Easy Print Manager

Microsoft® Windows® 8 (32-/64-bit), 7 (32-/64-bit), Vista (32-/64-bit), 2000, XP (32-/64-bit), 2003 Server (32-/64-bit), 2008 Server (32-/64-bit), 2008R2 (64-bit); Server 2012; Mac OS® 10.5-10.9; Red Hat Enterprise Linux 5, 6; Fedora 11-19; openSUSE 11.0-12.3; Ubuntu 10.04-13.04; SUSE Linux Enterprise Desktop 10, 11; Debian 5.0-7.1; Mint 13-15; Sun Solaris 9,10,11 (x86, SPARC); HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium); IBM AIX 5.1-7.1 (PowerPC)

#### Font Capability

136 PostScript fonts; 111 PCL fonts

#### Media Handling

Automatic Document Feeder: 16 to 28 lb. bond / 60 to 105 gsm Main Tray: 16 to 43 lb. bond / 60 to 163 gsm Manual Feed Slot: 16 to 58 lb. bond / 60 to 220 gsm

#### Media Types

Plain, Thick, Thin, Envelope, Label, Card Stock, Cotton, Colour, Preprinted, Recycled, Bond, Archive, Transparency

#### Operating Environment

Temperature: 50° to 90°F / 10° to 32°C; Humidity: 20% to 80%; Sound Pressure: Printing: 50 dB(A), ADF: 53 dB(A), Standby: Phaser 3260: 30 dB(A); Standby: WorkCentre 3225: 26 dB(A); Warm-up time (from power save): As fast as 14 seconds, FPOT from power save: As fast as 14 seconds

#### Electrical

Power: 110-127 VAC, 50/60 Hz, 5.5A or 220-240 VAC, 50/60 Hz, 3.2A; Continuous Printing: 417 watts; Ready (Standby): 46 watts; Energy Saver Mode (Sleep): 2.0 watts

# Dimensions (W x D x H)

**Phaser 3260:** 14.5 x 13.2 x 8.4 in. / 368 x 335 x 214 mm, Weight: 16.8 lb. / 7.6 kg

**WorkCentre 3225:** 15.8 x 14.3 x 14.4 in. / 401 x 362 x 365 mm, Weight: 25.1 lb. / 11.4 kg

#### Certifications

Listed to UL 60950-1/CSA 60950-1-07, 2nd Edition, FDA/CDRH – Class 1 Laser Product, FCC Part 15, Class B, Canada ICES-003, Class B, CE marked, Low Voltage Directive 2006/95/EC, EN 60950-1, 2nd Edition, EN 60825-1 – Class 1 Laser Product, EMC Directive 2004/108/EC, EN 55022, Class B, EN 55024, RoHS Directive 2011/65/EU, WEEE Directive 2012/19/EU, ENERGY STAR® qualified, Citrix Ready, Green World Alliance, WHQL Blue Angel, NOM, EAC (GOST), GS Mark, EPEAT, Environmental Choice, Apple AirPrint, Meditech

#### What Comes in the Box

- Phaser 3260 Printer or WorkCentre 3225 Multifunction Printer
- Print Cartridge (1,500 page capacity\*)
- Drum Cartridge (10,000 page capacity\*\*)
- Quick Installation Guide, Driver and Documentation CD
- Power Cable, USB cable
- Fax Cord (WorkCentre 3225)

#### Supplies Recycling Programme

Consumables for the Phaser 3260 and WorkCentre 3225 are part of the Xerox Green World Alliance Supplies Recycling Programme. For more information, please visit the Green World Alliance website at <a href="https://www.xerox.com/gwa">www.xerox.com/gwa</a>.

#### Supplies

 Print Cartridge: 3,000 pages\*
 106R02778

 Dual Pack Print Cartridge: 2 x 3,000 pages\*
 106R02782

 Drum Cartridge: 10,000 pages\*\*
 101R00474

\* Average standard pages. Declared Yield in accordance with ISO/ IEC 19752. Yield will vary based on image, area coverage and print mode.

\*\* Approximate pages. Declared Yield based on letter-/A4-size 20 lb. (75 gsm) pages. Yield will vary based on media type, size, weight, orientation, and usage patterns.

