

# Phaser 5550 Printer Pure printing power.



## Xerox® Phaser® 5550 Printer

**Print more, print faster.** Productive, reliable, and packed with value, the Xerox® Phaser 5550 printer means serious business for any office with diverse and high-volume print demands.

#### Powerful productivity.

Get up to speed with the Phaser 5550 – the tabloid-size printer that delivers the ultimate combination of peak performance and impressive print quality.



- Fast printing at up to 50 ppm

   for both single-sided and two-sided printing quickly handles even the most demanding print workloads.
- 1200 x 1200 dpi print resolution and Xeroxexclusive EA-HG toner technology deliver exceptional print quality without slowing down the printer's outstanding performance.
- Complex print jobs made easy even multipage jobs with graphics, images and charts thanks to a powerful 500 MHz processor.
- A first-page-out time as fast as 6.5 seconds means no waiting, even on a busy network.
- Custom media sizes plus advanced printing features, like collation, booklet making and edge-to-edge printing, meet your complex printing needs. Add a finisher for stapling and hole punching.

#### Smart, reliable operation.

The Phaser 5550 printer comes loaded with cutting-edge intelligence features that simplify installation and everyday use. And with highly durable components throughout, count on total reliability day after productive day.

- Easily output heavy print volumes thanks to a robust duty cycle of 300,000 pages per month.
- **Xerox**® **Installer** automatically installs and configures your printer for easy network connection, getting you up and running in minutes.
- Private data stays secure thanks to built-in support for 802.1X and IPv6, the latest network security protocols.
- Network printing is easier than ever to manage. Helpful features like Xerox®
   CentreWare® IS internal web server let users manage the device from their computers, and Email Alerts notify administrators of common occurrences, such as low toner levels, before they impact productivity.
- Xerox® PhaserSMART® online troubleshooting provides 24/7 access to the online Xerox® Knowledge Base, delivering fast solutions so you get back to work quickly. Plus, Xerox® PrintingScout® notification delivers instant pop-up messages right to your desktop if print issues arise.

#### Value throughout.

It's simple: The Phaser 5550 printer delivers more for your money than any other printer in its class, and always-low operating costs keep it truly bottom-line friendly.

- An unbeatable total cost of ownership results from the printer's affordable purchase price and low cost-per-page.
- Long-lasting consumables increase uptime, and separate print drum and toner cartridge allow for optimized use of each component.
- Expect consistent, trouble-free performance from a printer that's rated to deliver an impressive 500,000 mean prints between failure.
- Get best-in-class value with extensive printer management tools, up to 1 GB memory, Adobe® PostScript® 3™, and more.
- The Usage Analysis Tool and Job Accounting feature let you collect, organize and analyze usage data for tighter cost control.

#### Phaser 5550 Quick Facts

- Print up to 50 ppm
- True 1200 x 1200 dpi
- Powerful 500 MHz processor
- Robust 300,000 pages/month duty cycle
- 256 MB memory, expandable to 1 GB
- First-page-out time of 6.5 seconds



Print

11 x 17 in.

50 ppm

**WxDxH: 5550B, N, DN:** 25.2 x 20.7 x 19.6 in. 640 x 525 x 498 mm **5550DT:** 

25.2 x 20.7 x 30.6 in. 640 x 525 x 778 mm



Phaser 5550 DT with 1,000-sheet feeder



Usage Tracking Simplified
Great for managing budgets, the Xerox®
CentreWare® IS internal web server's helpful accounting features make it fast and easy to track device usage and plan ahead for upcoming supply needs.

### Extensive Paper Handling and Finishing Capabilities

Multiple input and output options for highvolume printing. Print on the widest range of media – from postcard to tabloid-size, from 16 lb. bond to 80 lb. cover; envelopes, labels, cardstock and transparencies.

#### **Paper Input**

- 1 100-sheet Tray 1 (multipurpose tray) for specialty print jobs
- 2 Automatic two-sided printing module (standard on DN/DT configurations)
- 3 Two 500-sheet trays (adjustable to 11 x 17 in.)
- 4) 1,000-sheet feeder provides two additional 11 x 17 in. trays (standard on DT configuration)
- 5 Optional 2,000-sheet feeder (8.5 x 11 in.) (requires 1000-sheet feeder installed)
- 6 Optional envelope tray (not shown)

#### Connectivity

- 7 10/100/1000 Ethernet connectivity (standard on N/DN/DT configurations)
- (3) Optional Productivity Kit (includes 40 GB hard drive) provides more print features
- Optional Wireless Network Adapter

#### Paper Output

10

- 10 500-sheet face-down output tray
- 11 Optional 3,500-sheet finisher for staple/hole punch (3,500-sheet stacker also available)

















#### Xerox® Phaser® 5550 Printer Configurations

#### Phaser 5550B

- 3-Tray, 1,100-sheet capacity
- USB and Parallel connectivity

#### Phaser 5550N

#### 5550B model plus:

• 10/100/1000 Ethernet

#### Phaser 5550DN

- 5550B model plus:
- 10/100/1000 Ethernet
- Automatic two-sided printing

#### Phaser 5550DT

#### 5550B model plus:

- 10/100/1000 Ethernet
- Automatic two-sided printing
- 1,000-sheet feeder (2,100-sheet total capacity)

#### **Options**

- Productivity Kit (includes 40 GB Hard Drive)
- 1,000 and 2,000-sheet feeders
- 3.500-sheet Stacker
- 3,500-sheet Finisher for staple/hole punch
- Wireless Network Adapter
- Envelope Tray

### Xerox® Phaser® 5550

#### Black-and-white Printer









		5550B	5550N	5550DN	5550DT
Speed		Up to 50 ppm (letter)  Up to 50 ppm one-sided, 50 ppm two-sided (letter)			
Duty Cycle		Up to 300,000 pages / month			
Paper Handling Paper Input Stand		d <b>Tray 1 (MPT):</b> 100 sheets; Custom sizes: 3.5 x 3.87 to 11.7 x 17 in. / 89 x 98 mm to 297 x 432 mm			
		<b>Tray 2:</b> 500 sheets; Custom sizes: 5.5 x 7.16 to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm			
		<b>Tray 3:</b> 500 sheets; Custom sizes: 5.5 x 7.16 to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm			
	Optional	Tray 4-5: 1,000 sheet Feeder; Custom size	zes: 5.5 x 7.16 to 11.7 x 17 in. / 140 x 182	mm to 297 x 432 mm	Standard
		<b>Tray 6:</b> 2,000 sheet Feeder; Sizes: 8.5 x 11 in. / A4			
		<b>Envelope Tray:</b> Custom sizes: 3.87 x 5.82 to 6.38 x 9.5 in. / 98 x 148 mm to 162 x 241 mm			
Paper Output	Standard	500 sheets			
	Optional	Stacker: 3,000-sheet stacker with 500-sheet top tray  Finisher: 3,000-sheet stacker with 500-sheet top tray, 50-sheet multi-position stapling and 3 or 2/4 hole-punch			
Automatic Two-sided Printing		Optional		Standard	
<b>Print</b> First-page-out Time		As fast as 6.5 seconds			
Resolution (max)		True 1200 x 1200 dpi			
Processor		500 MHz			
Memory (std / max)		256 MB / 1 GB			
Connectivity		Parallel, USB 2.0	10/100/1000 Base-T Ethernet, Parallel, U	JSB 2.0	
Page Description Languages		Adobe® PostScript® 3™, PCL® 6 / PCL® 5e emulation, Direct PDF (with 512 MB memory and optional hard drive)			
Print Features	Standard	Smart Trays, Booklet printing, Edge-to-edge printing, Negative image, Mirror image, Scaling, Watermarks, Auto fit, Custom-size pages, Covers, Separation pages, RAM collation, N-up, Job completion notification			
		NA	Remote printing, Job accounting		
	Optional	Productivity Kit (includes 40 GB Hard Drive) enables Secure/Proof/Personal/Saved Print, Hard disk collation, Print With, PDF-direct printing, Extended font/form storage			
Warranty		One-year on-site warranty			
		l.			

#### Device Management\*

Xerox® CentreWare® IS Embedded Web Server, CentreWare® Web, Xerox NDPS Gateway, Xerox® Usage Analysis Tool, MaiLinx email alerts, Xerox® PrintingScout® Alert Notification, Xerox® PhaserSMART<sup>®</sup>

(\* not available on 5550B model)

#### **Print Drivers**

Windows® 2000/XP/2003 Server, Vista, Mac OS® X version 10.3 or higher, Novell Netware® 5.x/6.5 (NDPS only), Linux Red Hat®, Fedora™ Core 5, SUSE 10.0, Unix: Sun Microsystems Solaris™ 9/10, IBM AIX® 5.1, HP-UX 11.0/11i, Xerox Walk-Up® Printer Drivers with Windows 2000 or higher

#### Font Capability

139 PostScript® fonts; 83 PCL® fonts

#### Media Handling

Trays 1, 3–6: 16–40 lb. bond to 50–80 lb. cover / 60-215 gsm; Two-sided output: 16-43 lb. bond / 60-163 gsm; Tray 2: 16-28 lb. bond to 22-39 lb. cover / 60-105 gsm; Media types: Plain paper, envelopes, labels, transparencies, card stock

#### Operating Environment

Temperature: 41° to 90°F / 5° to 32°C; Humidity: 15% to 85%; Sound pressure: Printing: 54 dB(A), Standby: 22 dB(A): Sound power: Printing: 7.19 B. Standby: 5.0 B; Warm-up time (from power save): As fast as 37 seconds; FPOT from power save: 45 seconds

#### Electrical

Power: 110-127 VAC, 50/60 Hz or 220-240 VAC, 50/60 Hz; Power consumption: Printing: 900 W, Standby: 105 W, Power save: 11 W

#### Dimensions (WxDxH)

5550B/N/DN: 25.2 x 20.7 x 19.6 in. / 640 x 525 x 498 mm; Weight: 97.2 lb. / 44.1 kg; 5550DT: 25.2  $\times$  20.7  $\times$  30.6 in. / 640  $\times$  525  $\times$  778 mm; Weight: 141 lb. / 64 kg

#### Certifications

Listed to UL 60950-1/CSA 60950-1-03. 1st Edition, FDA/CDRH - Class 1 Laser Product, FCC Part 15, Class A, Canada ICES-003, Class A, CE marked, Low Voltage Directive 2006/95/EC, EN 60950-1, 1st Edition, EN 60825-1 - Class 1 Laser Product, EMC Directive 2004/108/EC, EN 55022, Class A. EN 55024, RoHS Directive 2002/95/EC, WEEE Directive 2002/96/EC

#### What Comes In The Box

- Phaser 5550 Printer
- Toner cartridge (35,000 print capacity)
- Drum cartridge (60,000 print capacity)
- World kit (includes Software and documentation CD, Registration card, Warranty booklet)
- Power cord

#### Supplies Recycling Program

Consumables for the Phaser 5550 are part of the Xerox Green World Alliance Supplies Recycling Program. For more information, please visit the Green World Alliance website at www.xerox.com/gwa.


#### Supplies

Toner Cartridge: 35,000 pages<sup>1</sup> 106R01294 Drum Cartridge: 60,000 pages1 113R00670 008R12941 Staple Pack (15,000)

#### Routine Maintenance Items

Maintenance Kit, 110V: 300,000 pages<sup>2</sup> 109R00731 Maintenance Kit, 220V: 300,000 pages<sup>2</sup> 109R00732

Options Productivity Kit (includes 40 GB Hard Drive) 097S03878 097S03879 5550B to N Upgrade Kit Duplex Module 097S03220 1,000-Sheet Feeder 097S03716 2 000-Sheet Feeder 097503717 3,500-Sheet Stacker with Job Offset 097S03719 3.500-Sheet Finisher 097503282 Envelope Tray 097S03286 256 MB Phaser Memory 097S03743 512 MB Phaser Memory 097S03635 32 MB Flash Memory 097S03880 097S03740 Wireless Network Adapter, 110V3 Wireless Network Adapter, 220V3 097503741





 $Average \, standard \, pages. \, Declared \, Yield \, in \, accordance \, with \, ISO/IEC \, 19752. \, Yield \, will \, vary \, based \, on \, image, \, area \, coverage \, and \, print \, model \, in \, accordance \, with \, ISO/IEC \, 19752. \, Yield \, will \, vary \, based \, on \, image, \, area \, coverage \, and \, print \, model \, in \, accordance \, with \, ISO/IEC \, 19752. \, Yield \, will \, vary \, based \, on \, image, \, area \, coverage \, and \, print \, model \, in \, accordance \, with \, ISO/IEC \, 19752. \, Yield \, will \, vary \, based \, on \, image, \, area \, coverage \, and \, print \, model \, in \, accordance \, with \, ISO/IEC \, 19752. \, Yield \, will \, vary \, based \, on \, image, \, area \, coverage \, and \, print \, model \, in \, accordance \, with \, in \, accordance \, with \, in \, accordance \, with \, in \, accordance \, in \, accordance \, with \, in \, accordance \, in \, accordan$ 

<sup>&</sup>lt;sup>2</sup> Approximate pages. Declared Yield based on an average job size of 3 pages letter / A4-size. Yield will vary based on job run length, media size and orientation.
<sup>3</sup> Not available on 5550B